



MAX-RIB



Max-Rib



Max-Rib Load Tables and Section Properties

Load tables and section properties for Max-Rib can be found online at www.mcelroymetal.com. Please contact the **McElroy Technical Service Department at 1-800-950-9082** for additional information.

Notes:


- McElroy standard panels:
 - 29 and 26 gauge Galvalume® substrate with Kynar 500® or Siliconized Polyester coating.
 - 29 gauge Galvanized G-100 substrate with Siliconized Polyester coating.
 - 29 gauge Galvanized Utility Substrate with Polyester coating.
- Standard minimum length is 3'. Standard maximum length is 50'.
- Additional fees may apply for panel lengths under 3' and over 50'.
- McElroy standard trim for post frame is 29 gauge and 26 gauge for residential.
- Oil canning is inherent in all metal panels and is not a cause for panel rejection.

MAX-RIB / MESA


**TRIM
POST FRAME**

29 GA


Base and Drip Flashing (P-DF)




Base Flashing - A (P-BF-A)




Base Flashing - B (P-BF-B)




Rodent Guard (P-RG-71)




Rodent Guard (P-RG-72)




Square Base (P-SQB)




Zee Flashing (P-ZF)




Mini-Outside Corner (P-MOC)




Outside Corner (P-OC)




Inside Corner (P-IC)




Outside Angle (P-OA)




Inside Angle (P-IA)




***Angle (P-A)
*All angles are 29 gauge**




J - Channel (P-JC)




Wide J (P-WJ)



F x 7/8" (P-F-7/8)





















F and J x 7/8" (P-FJ-7/8)



*specify roof pitch

MAX-RIB / MESA

TRIM POST FRAME **29 GA**




MAX-RIB / MESA


**TRIM
POST FRAME**

29 GA


**Door Track Cover
(Face Mount) (National-A)
(P-DTC-NA)**




**Door Track Cover
(Top Mount) (National-B)
(P-DTC-NB)**




**Door Track Cover
(Cannonball Facemount)
(P-DTC-CB)**




**Door Track Cover
(Cannonball Top Mount)
(P-DTC-CBTM)**




**Double Door Track Cover
Cannonball
(P-DDTC-CBDT)**




**Soffit Flashing x 3
(P-SF3)**




**Soffit Flashing x 5
(P-SF5)**




**Soffit Flashing x 7
(P-SF7)**




**Valley Trim*
(P-VF)**




**Eave Flashing*
(P-EF)***




**Gutter Apron*
(P-GA)**




**Rake and Gable Trim
(P-RF)**




**Shingle Rake Trim
(P-SRT)**




**Rake Tie-In Trim
(P-EWF)**




**High Side Trim*
(P-HST)***




**High Side Tie-In*
(P-SWF)**



**Gambrel Lower*
(P-GL)**



**Gambrel Upper*
(P-GU)**



*specify roof pitch

MAX-RIB / MESA

**TRIM
POST FRAME**

29 GA

**Ridge Cap*
(P-RC-13)**

Lengths:
10' - 3"
14' - 3"
16' - 3"

**Ridge Cap*
(P-RC-20)**

Lengths:
10' - 3"
14' - 3"
16' - 3"

**Ridge Cap*
(P-RC-23)**

Lengths:
10' - 3"
14' - 3"
16' - 3"

**Cor-A-Vent Ridge*
(P-RC-COR)**

Lengths:
10' - 3"

**6" K Gutter
6KGT**

Lengths:
16' - 3" Marshall Facility Only
20' - 6" Lewisport Facility Only

**6K Outside Miter Box
6KOMB**

Lengths:
9 1/2" (Visible)
Not Invented at all Locations

**6K Inside Miter Box
6KIMB**

Lengths:
3.5" (Visible)
Not Invented at all Locations

**6" End Cap
6KREC (Right)
6KLEC (Left)**

Lengths:
6"
Not Invented at all Locations

**6" Aluminium Hanger w/Fastener
HANGER**

Lengths:
6"
Not Invented at all Locations

**Downspout 3" x 4"
29 Ga. = 6KDS14
26 Ga. = BBPDS**

Lengths:
14' - 3"
29 Ga. only available at the Marshall and Lewisport locations.

**Aluminium Downspout
3" x 4" Outlet Box
BBPOUT**

Lengths:
N/A
Only available in 26 Ga.

**Downspout Strap
BBPDSS**

Lengths:
10"
Only available in 26 Ga.

**3" x 4" Downspout Elbow A-Style
29 Ga. = 6KELA
26 Ga. = BBPELA**

Lengths:
N/A
29 Ga. only available at the Marshall and Lewisport locations.


*specify roof pitch

MAX-RIB / MESA

**TRIM
RESIDENTIAL**


26 GA

**Panel Cap
(R-PC)**




Lengths:
10' - 3"
20' - 3"

**Eave Trim*
(R-EF)**




Lengths:
10' - 3"
20' - 3"

**D-Edge*
(R-DE)**




Lengths:
10' - 3"
20' - 3"

**Rake Trim
(R-RT)**




Lengths:
10' - 3"
20' - 3"

**Rake Tie-In
(R-EW)**




Lengths:
10' - 3"
20' - 3"

**Hi-Side Trim*
(R-HS)**




Lengths:
10' - 3"
20' - 3"

**Hi-Side Tie-In*
(R-SW)**




Lengths:
10' - 3"
20' - 3"

**Ridge Trim*
(R-RF)**




Lengths:
10' - 3"
20' - 3"

**Ridge Cap*
(R-RC-13)**




Lengths:
10' - 3"

**Hip Trim*
(R-HF)**




Lengths:
10' - 3"
20' - 3"

**Valley Trim*
(R-VF)**




Lengths:
10' - 3"
20' - 3"

**Gutter Trim*
(R-GT)**




Lengths:
10' - 3"
20' - 3"

**Gutter Strap
(RES-GS)**



Lengths:
10"

**Gutter End Cap
Right Hand (R-GEC) or
Left Hand (L-GEC)**



Notes: